



## Product Data Sheet

# ACI607S18

Lecteur de piste magnétique avec clavier

### ACI600

The reader can be mounted beside the door to be controlled. Anyone requesting access must swipe a magnetically encoded card through the slot on the reader. The reader is connected to a GE Security controller which contains the electronics to release the door. The reader can also be equipped with a keypad.

### Built-in buzzer

The reader has a built-in buzzer that will activate when the door is held open too long. The buzzer can be set to operate according to a time schedule.

### Robust design

The electronics are mounted in an aluminium housing which is designed to resist weather and vandalism. It is suitable for all kinds of environments, indoors or outdoors, and has a built-in heater to keep the unit ice-free. If the reader is opened or removed from the wall, a tamper contact will transmit an alarm to the controller.

### Functionality

The device can be used to:

- Open a door for valid cards and/or codes during certain hours
- Arm/disarm an intruder alarm system

The reader has three LED indicators to give the user information about the status of the system. The security level can be chosen for each individual reader:

1. Door open - unlocked
2. Card or code to access
3. Card and code to access

These levels can be set to operate according to a time schedule stored in the controller.



### Caractéristiques

# ACI607S18

Lecteur de piste magnétique avec clavier

Caractéristiques techniques

---

Comment commander

Référence	Description
ACI607S18	Lecteur de piste magnétique avec clavier

